



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Applicant:

Eran Macover

Serial No.: 10/083,588

Filed: February 27, 2002

For: AN IMPROVED WIRE BONDING CAPILLARY

Examiner: Johnson, J.J.

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

卷之三

Group Art Unit: 1725

Attorney Docket No.: 2069/3

RECEIVED  
FEB 21 2003  
TC 1700

## ELECTION

Siri

This is in response to the United States Patent and Trademark Office Action mailed January 27, 2003, which response is being made on or before February 27, 2003 and for which no extension fees are due.

## REMARKS

The Examiner has required restriction to one of following inventions: I and II.

The Applicant elects to examine Group II (claims 3-4).

In the claims:

Please amend claims 4, to fix an inadvertent error, as follows:

4. (amended) The method as in claim 3 wherein said thermoplastic polymer is poly-p-xylylene.

Respectfully submitted,

Mark M. Friedman  
Attorney for Applicant  
Registration No. 33,883

Date: 16 February, 2003

**VERSION OF AMENDMENTS MARKED-UP TO SHOW CHANGES MADE**

4. (amended) The method as in claim 3 [5] wherein said thermoplastic polymer is poly-p-xylylene.